



# Tree Inspection Report

## ASHFIELD / ARUNDELL GARDENS

[REDACTED]  
Cornwall Housing Ltd, Chy Trevail  
North Wing, 1st Floor, Beacon Tech Park

PL31 2FR

[REDACTED]@cornwallhousing.org.uk

Date: 17/02/2026

Environment Team

**Cornwall Council**  
**Pydar House**  
**Pydar Street**  
**Truro TR1 1XU**

Telephone: 0300 1234 202  
Email: [forestry@cornwall.gov.uk](mailto:forestry@cornwall.gov.uk)

[www.cornwall.gov.uk](http://www.cornwall.gov.uk)

<b>Contacts</b>			
<b>Nature of Query</b>	<b>Name</b>	<b>Email</b>	<b>Telephone</b>
SLA Sign-up queries	[REDACTED]	[REDACTED]@cornwall.gov.uk	01872 322222
Programming of inspections and advice regarding Tree Risk Management Service	[REDACTED]	<a href="mailto:forestry@cornwall.gov.uk">forestry@cornwall.gov.uk</a>	0300 1234 202
Specific tree details or recommendations	Tree Inspector (listed on report)	<a href="mailto:trees@cormactd.co.uk">trees@cormactd.co.uk</a>	0300 1234 222
Requests for additional assessments (detailed decay detection, aerial inspections or stability testing)	[REDACTED]	<a href="mailto:forestry@cornwall.gov.uk">forestry@cornwall.gov.uk</a>	0300 1234 202
Management of the Tree Risk Management service	[REDACTED]	<a href="mailto:forestry@cornwall.gov.uk">forestry@cornwall.gov.uk</a>	0300 1234 202
Formal Complaints	[REDACTED]	<a href="mailto:environmentservice@cornwall.gov.uk">environmentservice@cornwall.gov.uk</a>	0300 1234 202
Arranging a quote/Instructing CORMAC to undertake tree works as your chosen contractor	[REDACTED]	<a href="mailto:Landscapingeast@cormactd.co.uk">Landscapingeast@cormactd.co.uk</a>	[REDACTED]

**The report comprises of eight parts:**

- 1. Limitations of the report**
- 2. How to use this report**
- 3. Implementing the Recommendations**
- 4. Legal Issues**
- 5. Tree Management Advice**
- 6. Overall Comments and Inspection Details**
- 7. Recommendation by priority** - A prioritised summary of recommended work
- 8. Inventory and survey detail including recommendations** - This section contains details such as size, species and condition. It provides an inventory and identifies defects/conditions that may have safety or long term management implications.
- 9. Glossary of terms** - The report contains arboricultural terms that may be unfamiliar; a brief glossary of terms has been included.
- 10. Site Plan(s)** - An annotated plan or set of plans identifying individual trees and tree groups.

## 1. Limitations of the report

The enclosed report is a result of the Tree Safety Inspection that has been undertaken as part of your Service Level Agreement with the Environment Service.

It should be noted that this report has been informed by a visual inspection from ground level only. Defects identified that require a secondary more detailed climbing inspection or the use of decay detection equipment will be carried out at a later date and an individual report produced.

Trees on adjacent property will have been inspected from ground level only; this inspection may have been limited due to available access and the report will highlight obvious defects only.

Due to the nature of trees and their surrounding environment, the findings of this report will remain valid for 12 months only unless otherwise stated.

## 2. How to use this report

When inspecting your trees, our staff assess their condition, the significance of any defects found and recommend works to reduce the risk of harm to site users, structures and neighbours (safety works). They also identify future management issues and recommend works to promote a healthy tree stock; reducing management costs in the future and the potential for conflict between trees and neighbours or buildings (management works).

It is the responsibility of the site/service manager to manage the risks posed by trees on the site and implement recommendations as appropriate

It is suggested that you first review **6. Overall Comments and inspection details**, this should identify specific problem trees and/or particular areas of work to concentrate on. In this section you will also find the date when the survey has been carried out and arboricultural officer's name.

Next review **7. Recommendation by priority**, this prioritized summary will clearly identify those trees requiring safety works. Please note the urgency timescale we advise is for guidance only. Using this summary, you can then refer to **8. Inventory** and **10. Plan** for more detail regarding their condition and location. For unfamiliar arboricultural terms please refer to **9. Glossary of terms**.

### Note

If you receive a complaint or have concerns in the future regarding specific trees, it is worth referring to this report in the first instance. It is very likely that inspectors have made management recommendations that may alleviate/address the issue.

## 3. Implementing the Recommendations

Should you wish to engage a contractor it is suggested that you prepare a schedule of works, highlighting items within **5. Recommendation by priority**. It is suggested that you seek three quotes from Cornwall Council approved contractors. Please note that Cormac Solutions Ltd, a Cornwall Council Arms Length Management Organisation,

have experienced teams of arborists that can undertake this work (see contact details above). It is recommended that you provide the contractor with a copy of the full report. The inventory will aid identification of the trees and the listed conditions will alert contractors to any safety issues.

It is understood that property managers have limited budgets, but we would urge you to proactively manage your trees. You are advised to implement not only the safety works but also the management works recommended. It is suggested that works be programmed over a two to three year period, focussing in the first year on safety work, rolling out management works in the subsequent years.

### Additional information

Contractors undertaking tree work should be fully insured and hold the valid and necessary certificates of competency for the work being undertaken. Contractors should be required to carry out work to British Standard 3998 Tree Work. Advice on appointing a contractor can be found at:

<http://www.cornwall.gov.uk/default.aspx?page=13844>

The contractor should be required to undertake a site specific risk assessment and adopt the appropriate control measures.

The report may identify the location of overhead services; however contractors should check the site for both overhead and underground services that may be affected by any work to be undertaken. Contractors must also consider whether protected species such as nesting birds and bats may be affected by work to be undertaken, Natural England should be consulted if protected species are present.

Where recommendations have been made for trees on or outside the property boundary you are advised to contact your neighbour to discuss the best course of action. A model letter for this purpose can be found in the Premises Management section on the council's website:

<http://www.cornwall.gov.uk/default.aspx?page=9885> (under T: Trees)

## **4 Legal Issues**

**Trees on or surrounding the property may be subject to a Tree Preservation Order or within a Conservation Area. You are advised to check with your local planning office to see whether you require consent to undertake the works (0300 1234 151).**

## 5. Tree Management Advice:

The trees within your site form an important educational and ecological resource that provides shelter, shade, habitat and visual amenity.

It is understood that budgets may be limited and stretched; however the Environment Team would urge you to proactively manage your tree population. Minor and low cost changes in management may have large and long lasting benefits for the educational environment.

### Tree Planting

Tree planting is important to ensure sustainable continuity of tree cover and all the benefits that trees can provide. However it is important to plan a planting scheme carefully to ensure that you have the '*right tree in the right place*' and they do not cause undue problems in the future. For further information on tree planting visit <http://www.cornwall.gov.uk/default.aspx?page=13837>.

It is worth noting that there is a drive towards native species; as a general rule of thumb, look around the locality and see what species are thriving. Species choice and the location of new planting should be informed by the location of underground/overhead services, current and future use of the site and any proposed development; this will help prevent future conflict and loss of trees. Consider planting fruit trees (see <http://www.cornwall.gov.uk/default.aspx?page=13873>).

There are a number of external organisations that are able to offer financial or practical help with planting schemes but these vary from time to time. We will endeavour to maintain a information on the website.

### Site Development in relation to trees

Development, be it roads, paths, soft/hard landscaping or built structures all have the potential to impact greatly on your existing tree population. Tree roots extend far beyond the canopy spread; soil level changes, compaction and root severance will affect the trees vigour (ability to resist disease) and stability (impacting on safety).

Advice should be sought prior to the design stage. Trees are a material consideration when assessing planning applications. Information is set out in BS 5837. It should inform design and may ease the planning process ensuring the successful retention of trees (where appropriate).

# Overall Comments:

ASHFIELD / ARUNDELL GARDENS

Inspector: [REDACTED]

Last Full Inspection Date: 03-October-2025

**Overall Comments:** Defect only inspection completed as per CC programme. Cat 2.2 works identified to fell 1x large dead elm adjacent to houses and reduce 1x willow heavily leaning over footpath. Cat 2.3 works recommended to fell 1x rowan with decay and to remove hanging/subsiding branches from pines.

## Other Inspections:

03-October-2025

Defect only inspection completed as per CC programme. Cat 2.2 works identified to fell 1x large dead elm adjacent to houses and reduce 1x willow heavily leaning over footpath. Cat 2.3 works recommended to fell 1x rowan with decay and to remove hanging/subsiding branches from pines.

# Prioritised Recommendation Summary

Property Name: ASHFIELD / ARUNDELL GARDENS						
Estate: ?						
Planted Area/Tree	Species	Size Class	Recommendation	Dimension & Units	Comments:	Priority
T17 07/08/2020	OAK	VERY LARGE > 20m	EPICORMICS / IVY SEVER IVY TO AID FUTURE INSPECTIONS			MANAGEMENT WORK- SHORT TERM
T19 07/08/2020	CYPRESS Chamaecyparis	MEDIUM < 10m	PRUNING / SURGERY LIGHT PRUNE TO CLEAR	1 m		MANAGEMENT WORK- SHORT TERM
T3 20/12/2017	CHERRY	MEDIUM < 10m	PRUNING / SURGERY REMOVE TWO LOWEST BRANCHES			MANAGEMENT WORK- SHORT TERM
T43 10/08/2020	ACER	MEDIUM < 10m	EPICORMICS / IVY SEVER IVY TO AID FUTURE INSPECTIONS			MANAGEMENT WORK- SHORT TERM
T46 20/12/2017	CHERRY	MEDIUM < 10m	PLANTING / ESTABLISHMENT WEED AND MULCH WITHIN 1M DIAMETER CIRCLE OF STEM			MANAGEMENT WORK- SHORT TERM
T8 07/08/2020	HAWTHORN	MEDIUM < 10m	EPICORMICS / IVY REMOVE EPICORMICS AT BASE			MANAGEMENT WORK- SHORT TERM
PP9 10/12/2012	PLANTING STATION	SMALL < 3m	PLANTING / ESTABLISHMENT WEED AND MULCH WITHIN 1M DIAMETER CIRCLE OF STEM			MANAGEMENT WORK- HIGH PRIORITY
PP9 10/12/2012	PLANTING STATION	SMALL < 3m	PLANTING / ESTABLISHMENT REMOVE STAKE			MANAGEMENT WORK- HIGH PRIORITY
T15 20/12/2017	ACER	VERY LARGE > 20m	EPICORMICS / IVY SEVER IVY TO AID FUTURE INSPECTIONS			?
T78 20/12/2017	PALM	SMALL/MEDIUM	OTHER OTHER			?
T80 08/03/2022	LIQUIDAMBAR	SMALL < 3m	FORMATIVE PRUNING REDUCE TO SINGLE STEM			?
G11 01/10/2025	N/A, see composite details	N/A, see composite details	PRUNING / SURGERY OTHER			?

G5	N/A, see composite details	N/A, see composite details	FELLING	?
29/09/2025			REDUCE TO STANDING STICK/MONOLITH OF	
PP30	PLANTING STATION	SMALL < 3m	PLANTING / ESTABLISHMENT PLANT WITH	PROACTIVE WORKS
08/03/2022				
T13	OAK	LARGE < 20m	PRUNING / SURGERY	CAT 2.2 - ACTION WITHIN 6 MONTHS
08/03/2022			LIGHT PRUNE TO CLEAR	
T14	SWEET CHESTNUT	LARGE < 20m	EPICORMICS / IVY	CAT 2.2 - ACTION WITHIN 6 MONTHS
10/03/2023			SEVER IVY	
T16	BEECH	LARGE < 20m	EPICORMICS / IVY	CAT 2.2 - ACTION WITHIN 6 MONTHS
10/03/2023			SEVER IVY	
T22	PINE	VERY LARGE > 20m	PRUNING / SURGERY	?
30/09/2025			REMOVE DAMAGED BRANCHES	
T28	PINE	VERY LARGE > 20m	PRUNING / SURGERY	?
30/09/2025			REMOVE BRANCH(ES)	
T48	UNKNOWN	SMALL < 3m	PLANTING / ESTABLISHMENT REPLANT FAILURE	PROACTIVE WORKS
08/03/2022				
T81	SORBUS	SMALL < 3m	FORMATIVE PRUNING	PROACTIVE WORKS
08/03/2022			REDUCE TO SINGLE STEM	
T9	SORBUS	MEDIUM < 10m	FELLING	?
29/09/2025			FELL	
T9	SORBUS	MEDIUM < 10m	FELLING	CAT 2.3 DEFECT - MONITOR AND/OR PROGRAMME
08/03/2022			FELL	

# Inventory and Survey Detail including recommendations:

## Tree Group

G1

**Growing Medium:** WILDLIFE AREA

**On / Off Property:** ON BOUNDARY

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

### Composition / Description

**Species:** Sycamore, ACER

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Stem Form:** COPPICE

**Age Class:** SEMI MATURE <1/3rd life  
expectancy

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Quantity:** 10-20

**Comments:** PLUS LAURELS

### Conditions

**Defect:**

OUT GROWING POSITION

**Date recorded:**

30-September-2011

**Comments:**

LOW BRANCHES OVER PARKING AREA

### Recommendations

**Recommendation**

COPPICE

**Date recorded**

30-September-2011

**Dimension**

0.00

**Units**

?

**Comments**

?

**Urgency**

SAFETY WORK - LOW  
PRIORITY

# G1

**Growing Medium:** WOODLAND

**On / Off Property:** ON BOUNDARY

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

## Composition / Description

**Species:** Sycamore, ACER

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 10

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
IVY	20-December-2017	
SOME SUPPRESSED TREES	20-December-2017	WERE SUPPRESSED IN THE PAST BY X2 LARGE BEECH TO THE WEST
OTHER	20-December-2017	IN-GROWN FENCE
DEAD TREES	07-August-2020	FEW SMALLER STEMS ON END OF GROUP - UNKNOWN CAUSE.
CROWN DIEBACK	07-August-2020	POSSIBLY ATTRIBUTED TO HISTORIC SQUIRREL DAMAGE.

## Recommendations

<b>Recommendation</b>	<b>Date recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
FELL ALL	08-March-2022	0.00	?	DEAD STEMS	CAT 2.2 - ACTION WITHIN 6 MONTHS

G2

**Growing Medium:** HEDGEROW

**On / Off Property:** ON PROPERTY

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** Overhead

### Composition / Description

**Species:** MIXED, MIXED

**Crown Form:** HEDGELINE

**Stem Form:** SINGLE/MULTISTEMMED

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Quantity:** 10

**Comments:** SYCAMORE / GRISELINIA / PITTOSPORUM / BAY / ALDER

### Conditions

**Defect:**

OTHER

**Date recorded:**

30-September-2011

**Comments:**

UNMANAGED

CROWDED

20-December-2017

IVY

07-August-2020

HEAVY COLONISATION IN SYCAMORE AND GRISELINIA - RESTRICTING INSPECTION.

### Recommendations

No Recommendations

G3

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Services**

**Electricity Cables:** Underground

**Street Lights:** No

**Telephone Cables:** None

**Composition / Description**

**Species:** Elm, ELM

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** LARGE<20m

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 3

**Species:** Ash, ASH

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** SMALL <3m

**Comments:** SELF SET OR COPPICE REGROWTH

**Stem Form:** SINGLE STEM

**Vigour:** FAIR

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 10-20

**Conditions**

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
EPICORMICS AT BASE	15-December-2009	
IVY	15-December-2009	HEAVY - (2020) - RESTRICTING INSPECTION.
LEANING TREE(S)	15-December-2009	
OTHER	20-December-2017	ADB ON ASH

## Recommendations

<b>Recommendation</b>	<b>Date recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
SEVER/REMOVE IVY	21-November-2012	0.00	?	FROM LARGEST TREE, TO FACILITATE FUTURE INSPECTIONS	MANAGEMENT WORK- HIGH PRIORITY
SEVER/REMOVE IVY	10-March-2023	1.00	m	FROM ALL TREES IN GROUP	CAT 2.2 - ACTION WITHIN 6 MONTHS
REMOVE BROKEN BRANCHES	10-March-2023	0.00	?	Romove broken branch from Elm	CAT 2.2 DEFECT - MAKE SAFE WITHIN 6 MONTHS

G4

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON BOUNDARY

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

### Composition / Description

**Species:** MIXED BROADLEAF, MIXED

**Crown Form:** HEDGELINE

**Stem Form:** SINGLE/MULTISTEMMED

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Size Class:** SMALL <3m

**Vigour:** FAIR

**Quantity:** 2

**Comments:** HAWTHORN AND BOLTING SYCAMORE

### Conditions

**Defect:**

SOME SUPPRESSED TREES

**Date recorded:**

15-December-2009

**Comments:**

### Recommendations

**Recommendation**

**Date recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

FELL

20-December-2017

0.00

?

BOLTING AND SUPPRESSED SYCAMORE

MANAGEMENT WORK-SHORT TERM

# G5

**Growing Medium:** CORNISH HEDGE

**On / Off Property:** ON PROPERTY

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

## Composition / Description

**Species:** MIXED BROADLEAF, MIXED

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:** ASH AND SYCAMORE

**Stem Form:** SINGLE/MULTISTEMMED

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 21-50

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
TOUCHING STRUCTURE(S)	12-April-2022	HOUSE
Dead tree	29-September-2025	1x medium-large dead elm in middle of group.

## Recommendations

<b>Recommendation</b>	<b>Date recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
REDUCE TO STANDING STICK/MONOLITH OF	29-September-2025	0.00	?	Reduce 1x dead elm in middle of tree group to 3m height.	?

# G6

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

## Composition / Description

**Species:** Swedish Whitebeam, SORBUS

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 4

**Species:** Norway Maple, ACER

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:** PURPLE VARIETY

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 1

## Conditions

**Defect:**

BARK DAMAGE

**Date recorded:**

02-June-2011

**Comments:**

ON A NUMBER OF TREES, HISTORIC AND OCCLUDING

POORLY PRUNED

07-August-2020

RECENT MINOR PRUNING OF FOOTWAY ON MOST SOUTH EASTERN AND NORTHERN TREES WITHOUT AUTHORISATION - MATERIAL STACKES AT BASE OF TREE - SMALL PRUNING STUBS ASSOCIATED.

OBSCURING LIGHT(S)

10-March-2022

## Recommendations

**Recommendation**

PRUNE

**Date recorded**

10-March-2022

**Dimension**

0.00

**Units**

?

**Comments**

TO CLEAR LIGHTING COLUMN BY 0.5M BY PRUNING BACK TO NEAREST SUITABLE PRUNING POINTS

**Urgency**

CAT 2.2 - ACTION WITHIN 6 MONTHS

G7

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Services**

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

## Composition / Description

**Species:** Monterey Pine, PINE

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Size Class:** LARGE<20m

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** MATURE

**Quantity:** 7

---

**Species:** Corsican Pine, PINE

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Size Class:** MEDIUM/LARGE

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** MATURE

**Quantity:** 4

---

**Species:** MIXED BROADLEAF, MIXED

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:** ASH, SYCAMORE, ELM, TURKEY OAK, HOLM OAK AND ASH

**Stem Form:** SINGLE/MULTISTEMMED

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life  
expectancy

**Quantity:** 51+

---

**Species:** Sessile Oak, OAK

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** MATURE

**Quantity:** 2

---

**Species:** Ash, ASH

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Size Class:** MEDIUM/LARGE

**Comments:**

**Stem Form:** SINGLE STEM

**Vigour:** NORMAL

**Age Class:** OVER MATURE (in Decline)

**Quantity:** 1

## Conditions

Defect:	Date recorded:	Comments:
SOME SUPPRESSED TREES	10-December-2012	
UNTHINNED	10-December-2012	...UNMANAGED
LEANING TREE(S)	10-December-2012	
DENSE UNDERGROWTH	10-December-2012	AND LITTER
TIPPING ON ROOTS	10-December-2012	...GARDEN REFUSE
VANDALISM	10-December-2012	..FIRE DAMAGE AND BARK STRIPPING.
OTHER	10-December-2012	NUMEROUS INFORMAL PATHS AND ACCESS
PRUNING WOUNDS	11-October-2017	RESIDENTS HAVE FELLED SOME TREES IN GROUP AND PRUNED OTHERS EXPOSING SOUTH WESTERLY EDGE OF GROUP TO PREVAILING WINDS
IVY	11-October-2017	MODERATE GROWTH ON STEMS, NOT YET REACHING INTO CROWNS
OTHER	20-December-2017	TREES HAVE RECENTLY BEEN FELLED AT EASTERN HORN OF GROUP
0% - 25% CANOPY LOSS - ASH HEALTH CLASS 1	07-August-2020	SOME ASH CROWNS DISPLAY SYMPTOMS OF ADB.
SQUIRREL DAMAGE IN CROWN	07-August-2020	HISTORIC - CROWN DIEBACK ASSOCIATED/EVIDENT IN MANY SYCAMORES.

## Recommendations

No Recommendations

G8

**Growing Medium:** HEDGEROW

**On / Off Property:** ON BOUNDARY

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

### Composition / Description

**Species:** MIXED BROADLEAF, MIXED

**Crown Form:** MANAGED POLLARD

**Stem Form:** SINGLE STEM

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Size Class:** SMALL <3m

**Vigour:** NORMAL

**Quantity:** 10-20

**Comments:** BEECH WITH A FEW HAZEL

### Conditions

**Defect:**

IVY

**Date recorded:**

07-April-2011

**Comments:**

2020 - AND CLIMBING PLANT/VINE

OTHER

07-April-2011

TREES POLLARDED 2011.

OTHER

20-December-2017

TREES CUT AT APPROX. 1M 2017

### Recommendations

No Recommendations

G9

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Services**

**Electricity Cables:** Overhead

**Street Lights:** No

**Telephone Cables:** None

**Composition / Description**

**Species:** MIXED, MIXED

**Crown Form:** GROUP/FOREST TYPE-FULL CROWN

**Size Class:** MEDIUM <10m

**Comments:** BLACKTHORN / HOLLY

**Stem Form:** SINGLE/MULTISTEMMED

**Vigour:** NORMAL

**Age Class:** SEMI MATURE <1/3rd life expectancy

**Quantity:** 4

**Conditions**

**Defect:**

NO SIGNIFICANT DEFECTS

**Date recorded:**

02-June-2011

**Comments:**

TOUCHING STRUCTURE(S)

25-September-2023

HOUSE

**Recommendations**

**Recommendation**

PRUNE

**Date recorded**

25-September-2023

**Dimension**

0.00

**Units**

?

**Comments**

REDUCE AWAY FROM BUILDING BY 1.5M

**Urgency**

CAT 2.3 DEFECT - MONITOR AND/OR PROGRAMME

# G11

**Growing Medium:** HEDGEROW

**On / Off Property:** OFF PROPERTY

## Services

**Electricity Cables:** Unknown

**Street Lights:** ?

**Telephone Cables:** Unknown

## Composition / Description

**Species:** MIXED BROADLEAF, MIXED

**Crown Form:** GROUP/FOREST TYPE-  
FULL CROWN

**Stem Form:** SINGLE/MULTISTEMMED

**Age Class:** SEMI MATURE <1/3rd life  
expectancy

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Quantity:** 21-50

**Comments:** Hazel, willow, ash, sycamore - all growing on railway side of fence and overhanging footpath.

## Conditions

### Defect:

Crown overhanging the footway

### Date recorded:

30-September-2025

### Comments:

Willow with heavy lean over footpath and impeding pedestrian access.

## Recommendations

### Recommendation

OTHER

### Date recorded

01-October-2025

### Dimension

0.00

### Units

?

### Comments

Prune willow back to fence boundary to clear footpath.

### Urgency

?

# TREE

T1

**Species:** Atlas blue cedar, CEDAR

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE EXPECTANCY

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** NOT KNOWN

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
TEAR WOUND	09-July-2010	SEVERAL FROM BRANCH FAILURE THE MOST RECENT JULY 7 2010.
BARK DAMAGE	30-September-2011	LARGE OLD WOUND
PRUNING WOUND(S)	30-September-2011	
BASAL CAVITY SMALL	20-December-2017	BEGGINNING TO FORM FROM OLD WOUND IN SOUTHERN QUARTER
FUNGAL FRUITING BODIES	08-March-2022	AT GROUND ON STEM BASE, DESSICATED BUT APPEARS TO BE ANNUAL GANODERMA BODY

## Recommendations

No Recommendations

# PP1

**Species:** Italian Cypress, CYPRESS Cupressus

**Comments:** IDEAL LOCATION TO PLANT A C. SEMPERVIRNS VAR. 'STRICTA'.

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T2

**Species:** Sessile Oak, OAK

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** OFF PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

OCCLUDED WOUND

**Date recorded:**

30-September-2011

**Comments:**

OLD BARK WOUND

PRUNING WOUND(S)

30-September-2011

MANY, PLUS LARGE BARK WOUND

### Recommendations

No Recommendations

T2

**Species:** Common Laburnum, LABURNUM

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

LEANING TREE

20-December-2017

45 DEGREES FROM UPRIGHT TO NORTH

BASAL CAVITY LARGE

20-December-2017

FROMBASE TO 0.5M INTERNAL WOOD DECAYED PROBING REVEALED APPROX 12CM SOFT WOOD INDICATING THIN RESIDUAL WALL

PRUNING WOUND(S)

20-December-2017

IN CROWN FROM REDUCTION

### Recommendations

No Recommendations

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR BENEFICIAL MEDIUM/ LARGE SPECIES AMENITY PLANTING

**Description**

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

**Services**

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

**Conditions**

**Defect:**

**Date recorded:**

**Comments:**

**Recommendations**

No Recommendations

# T3

**Species:** Ash, ASH

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** OFF PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** Yes

**Telephone Cables:** Overhead

**Signs:** NO

## Conditions

**Defect:**

TOUCHING STRUCTURE(S)

**Date recorded:**

30-September-2011

**Comments:**

DISRUPTING BT CABLES

0% - 25% CANOPY LOSS - ASH HEALTH CLASS 1

07-August-2020

CROWN DISPLAYS EARLY SYMPTOMS OF ADB.

## Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

PRUNE TO CLEAR CABLES

30-September-2011

1.50

m

BT CABLES

SAFETY WORK - LOW PRIORITY

MONITOR

07-August-2020

0.00

?

FOR FURTHER SYMPTOMS/PROGRESSION OF ADB IN SUMMER MONTHS.

MANAGEMENT WORK- SHORT TERM

T3

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

TIGHT FORK(S)

**Date recorded:**

20-December-2017

**Comments:**

N?

### Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

REMOVE TWO LOWEST  
BRANCHES

20-December-2017

0.00

?

REDUCE TREE TO A SINGLE STEM

MANAGEMENT WORK- SHORT TERM

# PP3

**Species:** ?, ZELKOVA

**Comments:** IDEAL LOCATION TO PLANT SMALL AMENITY TREE ARBUTUS UNEDO

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# PP4

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T4

**Species:** English Yew, YEW

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

FOREIGN OBJECT

**Date recorded:**

20-December-2017

**Comments:**

GRASS MIDDEN AT SYEM BASE

IVY

20-December-2017

N?

## Recommendations

No Recommendations

T4

**Species:** Lawson Cypress, CYPRESS Chamaecyparis

**Comments:** IN RESIDENT'S GARDEN NO. 6

### Description

**Growing Medium:** PLANTED AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

CROWN OVERHANGING HIGHWAY

**Date recorded:**

20-December-2017

**Comments:**

FOOTPATH BY 0.5M

### Recommendations

No Recommendations

# PP5

**Species:** ?, ZELKOVA

**Comments:** GREAT LOCATION FOR LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T5

**Species:** Juniper, JUNIPER

**Comments:** CHINENSIS

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

20-December-2017

**Comments:**

N?

### Recommendations

No Recommendations

# PP6

**Species:** ?, ZELKOVA

**Comments:** AN EXCELLENT OPPORTUNITY FOR A LARGE SPECIESAMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T6

**Species:** Cherry Laurel, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** ASYMMETRICAL

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T7

**Species:** Strawberry Tree, ARBUTUS

**Comments:** EXCELLENT CHOICE BY AN EVIDENTLY DISCERNING RESIDENT

### Description

**Growing Medium:** PLANTED AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

CROSSING OR RUBBING BRANCHES

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM SPECIES AMENITY TREE PLANTING

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

# PP8

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR LARGE/MEDIUM SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T8

**Species:** Cockspur Thorn, HAWTHORN

**Comments:** COCKSPUR

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

BASAL CAVITY SMALL

**Date recorded:**

20-December-2017

**Comments:**

RESULTANT FROM HISTORIC PRUNING. VERY MINOR, SOME ASSOCIATED DESSICATED WOOD

BASAL EPICORMICS

07-August-2020

LIGHT HAWTHORN EPICORMIC GROWTH FROM ROOT STOCK.

### Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

REMOVE EPICORMICS AT BASE

07-August-2020

0.00

?

N?

MANAGEMENT WORK- SHORT TERM

**Species:** Planting position, PLANTING STATION

**Comments:** SUITABLE LOCATION FOR MEDIUM SPECIES AMENITY PLANTING

**Description**

<b>Growing Medium:</b> GRASS AREA	<b>On / Off Property:</b> ON PROPERTY	<b>Position Description:</b> ?
<b>Stem Form:</b> SINGLE STEM	<b>Crown Form:</b> OPEN GROWN - FULL CROWN	<b>Age Class:</b> YOUNG < 10 YEARS
<b>Size Class:</b> SMALL < 3m	<b>Vigour:</b> NORMAL	<b>Planting Station:</b> ?

**Services**

<b>Electricity Cables:</b> None	<b>Street Lights:</b> No	<b>Telephone Cables:</b> None
<b>Signs:</b> NO		

**Conditions**

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
DEAD	20-December-2017	GONE- LIKE AN OLD OAK TABLE

**Recommendations**

<b>Recommendation</b>	<b>Date Recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
WEED AND MULCH WITHIN 1M DIAMETER CIRCLE OF STEM	10-December-2012	0.00	?	?	MANAGEMENT WORK- HIGH PRIORITY
REMOVE STAKE	10-December-2012	0.00	?	?	MANAGEMENT WORK- HIGH PRIORITY

# T9

**Species:** Whitebeam, SORBUS

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

BARK DAMAGE

### Date recorded:

20-December-2017

### Comments:

HISTORIC, PARTIALLY OCCLUDED, NOW WITH ARMILLARIA BOOTLACE AND DECAY

OTHER

20-December-2017

ARMILLARIA BEGGINNING TO DECAY/CREAT LARGE DECAY COLUMN FROM BASE TO 2M

CROWN DIEBACK

07-August-2020

APPROXIMATELY 15% ON NORTH WESTERN QUARTER - ASSOCIATED WITH DEATH OF VASCULAR COLUMNS.

Crown dieback

16-September-2025

Approx. 30% crown dieback on north-west side of stem

## Recommendations

### Recommendation

### Date Recorded

### Dimension

### Units

### Comments

### Urgency

FELL

08-March-2022

0.00

?

UNLIKELY X MODERATE

CAT 2.3 DEFECT - MONITOR AND/OR PROGRAMME

FELL

29-September-2025

0.00

?

Fell to ground level 1x declining Rowan with slight lean towards footpath.

?

# PP10

**Species:** ?, ZELKOVA

**Comments:** POTENTIAL LOCATION FOR SMALL/UPRIGHT COLUMNAR SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T10

**Species:** Cherry, CHERRY

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** MULTI STEMMED

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

CROSSING OR RUBBING BRANCHES

**Date recorded:**

20-December-2017

**Comments:**

N?

## Recommendations

No Recommendations

# PP11

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATIO FOR SMALL SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T11

**Species:** Maidenhair Tree, MAIDENHAIR TREE

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

VANDALISED

**Date recorded:**

07-August-2020

**Comments:**

HISTORICALLY SNAPPED TOP.

### Recommendations

No Recommendations

# PP12

**Species:** Planting position, PLANTING STATION

**Comments:** SUITABLE LOCATION FOR MEDIUM SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T12

**Species:** Ash, ASH

**Comments:** 6 NO. STEMS

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** COPPICE

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:**

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

0% - 25% CANOPY LOSS - ASH HEALTH CLASS 1

**Date recorded:**

07-August-2020

**Comments:**

CROWN DISPLAYS EARLY SYMPTOMS OF ADB.

### Recommendations

No Recommendations

# PP13

**Species:** ?, ZELKOVA

**Comments:** GOOD LOCATION FOR LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T13

**Species:** Sessile Oak, OAK

**Comments:** WPD LV ABC, OPENWIRE AND WOODEN POLE WITHIN CROWN SPREAD.

## Description

**Growing Medium:** CORNISH HEDGE

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:**

## Services

**Electricity Cables:** Overhead

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

BARK DAMAGE

### Date recorded:

07-August-2020

### Comments:

HISTORIC PARTIALLY OCCLUDED WOUND AT 1.3m ABOVE GROUND LEVEL ON NORTHERN QUARTER.

PRUNED TO ATTAIN LINE CLEARANCE

07-August-2020

HISTORIC

TOUCHING STRUCTURE(S)

08-March-2022

BRANCHES ABRADING ON GARAGES

## Recommendations

### Recommendation

LIGHT PRUNE TO CLEAR

### Date Recorded

08-March-2022

### Dimension

0.00

### Units

?

### Comments

GARAGES BY APPROX. 2M BY PRUNING BACK TO NEAREST SUITABLE PRUNING POINTS

### Urgency

CAT 2.2 - ACTION WITHIN 6 MONTHS

# T14

**Species:** Sweet Chestnut, SWEET CHESTNUT

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON BOUNDARY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
STEM EPICORMICS	15-December-2009	
CROWN DIEBACK	21-November-2012	THROUGHOUT UPPER CROWN - (2020) - RECOVERING WELL.
MAJOR DEADWOOD	21-November-2012	..THROUGHOUT UPPER CROWN
HANGING BROKEN BRANCHES	20-December-2017	OVER INNACCESSIBLE SCRUB PATCH
HEAVY IVY GROWTH	20-December-2017	2020 - RESTRICTING INSPECTION.

## Recommendations

<b>Recommendation</b>	<b>Date Recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
SEVER IVY	10-March-2023	0.00	?	TO AID FUTURE INSPECTIONS	CAT 2.2 - ACTION WITHIN 6 MONTHS

# PP14

**Species:** ?, ZELKOVA

**Comments:** EXCELLENT LOCATION FOR LARGE SP. AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T15

**Species:** Sycamore, ACER

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON BOUNDARY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
BASAL EPICORMICS	15-December-2009	
STEM EPICORMICS	15-December-2009	
HEAVY IVY GROWTH	20-December-2017	N?
IVY RESTRICTED INSPECTION	20-December-2017	N?
PARTIAL INSPECTION, LIMITED ACCESS	07-August-2020	INSPECTION FROM NORTHERN QUARTERS ONLY.
STEM CAVITY SMALL	08-March-2022	X2 IN SECONDARY BRANCH AT APPROX. 4 AND 5M
MINOR DEADWOOD	08-March-2022	N?

## Recommendations

Recommendation	Date Recorded	Dimension	Units	Comments	Urgency
SEVER IVY TO AID FUTURE INSPECTIONS	20-December-2017	0.00	?	N?	?

# PP15

**Species:** ?, ZELKOVA

**Comments:** EXCELLENT LOCATION FOR LARGE SP. AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T16

**Species:** Beech, BEECH

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON BOUNDARY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
INCLUDED BARK AT MAJOR BRANCH/STEM UNIONS	20-December-2017	N?
PARTIAL INSPECTION, LIMITED ACCESS	07-August-2020	INSPECTION FROM NORTHERN QUARTERS ONLY.
CROWN DIEBACK	07-August-2020	EVIDENT WITHIN THE UPPER EXTREMITIES OF CROWN (TOP 1.0m OF GROWTH).
IVY	08-March-2022	MINOR

## Recommendations

<b>Recommendation</b>	<b>Date Recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
SEVER IVY	10-March-2023	0.00	?	TO AID FUTURE INSPECTIONS	CAT 2.2 - ACTION WITHIN 6 MONTHS

# PP16

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T17

**Species:** Sessile Oak, OAK

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON BOUNDARY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

IVY

### Date recorded:

20-December-2017

### Comments:

2020 - RESTRICTING INSPECTION.

DEADWOOD

20-December-2017

MINOR OVER GRASS AREA

STEM CAVITY SMALL

20-December-2017

ON BRANCH EXTENDING TO NORTH

PARTIAL INSPECTION, LIMITED ACCESS

07-August-2020

INSPECTION FROM NORTHERN QUARTERS ONLY.

## Recommendations

### Recommendation

SEVER IVY TO AID FUTURE  
INSPECTIONS

### Date Recorded

07-August-2020

### Dimension

0.00

### Units

?

### Comments

CAREFULLY REMOVE A 1.5m STRIP OF  
GROWTH ENTIRELY FROM AROUND BASE OF  
TREE.

### Urgency

MANAGEMENT WORK- SHORT TERM

# PP17

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR SMALL SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T18

**Species:** Golden Leylandii, LEYLANDII

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** OFF PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
VANDALISED	06-June-2011	...BARK DAMAGE, SOUTHEASTERN QUARTER, BASE TO 2M
OUT GROWING POSITION	10-December-2012	...NO RECENT MANAGEMENT. CROWN EXTREMITIES WITHIN 0.25M OF ADJACENT PROPERTIES.
STEM CAVITY LARGE	20-December-2017	BEGGINNING TO FORM AS WOUND WOOD OCCLUDES OVER DEAD PATCH - LITTLE ASSOCIATED DECAY
HEAVY IVY GROWTH	10-March-2022	N?
TOUCHING STRUCTURE(S)	10-March-2022	FOLIAGE IN CONTACT WITH GABLE END
OTHER	25-September-2023	PROPERTY SOLD

## Recommendations

No Recommendations

# PP18

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR SMALL/MEDIUM SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T19

**Species:** Lawson Cypress (blue/green cultivars), CYPRESS Chamaecyparis

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** TWIN STEMMED

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

TOUCHING STRUCTURE(S)

07-August-2020

CROWN EXTREMITIES IN DIRECT CONTACT WITH GUTTER LINE.

HEAVY IVY GROWTH

10-March-2022

N?

## Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

LIGHT PRUNE TO CLEAR

07-August-2020

0.50

m

REDUCING TWIGGY GROWTH BACK TO NEAREST SUITABLE GROWTH POINTS AND/OR REMOVE MINOR BRANCHES ENTIRELY TO OBTAIN SUFFICIENT CLEARANCE FROM GUTTER LINE OF ADJACENT PROPERTY.

MANAGEMENT WORK- SHORT TERM

# PP19

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE OR COLUMNAR SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T20

**Species:** Scots Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

LEANING TREE

### Date recorded:

10-December-2012

### Comments:

...TO NORTH, 15 DEGREES OFF VERTICAL

MULTI LEADERS

10-December-2012

INCLUDED BARK AT MAJOR BRANCH/STEM UNIONS

10-December-2012

@ 9M, ACUTE INCLUSION.

BARK BLEEDING

10-December-2012

AND VERTICAL BARK SPLIT FROM 7.5 TO 9M, SOUTHERN QUARTER.

OTHER

11-October-2017

RESIDENTS HAVE RECENTLY FELLED SOME TREES TO THE SOUTH OF THIS TREE WHICH COULD ALTER THE WIND LOADING ON THE TREE

Please Select

16-September-2025

## Recommendations

No Recommendations

# PP20

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T21

**Species:** Turkey Oak, OAK

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

IVY

**Date recorded:**

20-December-2017

**Comments:**

N?

## Recommendations

No Recommendations

# PP21

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T22

**Species:** Monterey Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

TEAR WOUNDS IN CROWN

### Date recorded:

10-December-2012

### Comments:

...LOWER, SOUTHERN QUARTER. RECENT STORM DAMAGE.

STEM DEFECT

10-December-2012

.....VERTICAL BARK SPLIT IN CENTRAL/NORTHERNMOST UPRIGHT STEM, NO RESIN RUN. FROM 12M TO 14M, SOUTHERN QUARTER. VERTICAL CRACK, FROM 14M TO 15M, NORTHERN QUARTER, @ ELBOW. NO BRIGHT WOOD IN CRACK, NO REACTIVE GROWTH, HISTORIC DAMAGE. STEM UPRIGHT IN FORM, ASSOCIATED CROWN SHELTERED.

BROKEN BRANCHES

07-August-2020

HISTORIC PARTIALLY FAILED MINOR BRANCH OF APPROXIMATELY 110mm DIAMETER HUNG UP ATOP OF LOWEST LARGE SECONDARY BRANCH ON SOUTHERN QUARTER OVER GRASS AREA - NO WEIGHT TO ASSOCIATED BRANCH AND STABLE WITHIN BRANCH CROWN.

Subsiding stem/branch

30-September-2025

2x large branches partially failed on SW side of crown. 1x has lost most of its needles and is resting at lowest limb. The other is in the mid crown and has partially failed at Union in middle of branch.

## Recommendations

### Recommendation

### Date Recorded

### Dimension

### Units

### Comments

### Urgency

REMOVE DAMAGED BRANCHES

30-September-2025

0.00

?

Remove 2x partially failed and subsiding monterey pine branches overhanging grass area on SE side of crown.

?

# PP22

**Species:** ?, ZELKOVA

**Comments:** EXCELLENT OPPORTUNITY TO PLANT CUPRESSUS SEMPERVIRENS VAR. 'STRICTA'

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T23

**Species:** Monterey Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

PRUNING WOUND(S)

### Date recorded:

10-December-2012

### Comments:

...NUMEROUS, CROWN RAISED/CLEANED HISTORICALLY.

SUPPRESSED

10-December-2012

...MAJORITY OF CROWN WIEGHTED TO NORTHWEST

STEM DEFECT

10-December-2012

...REACTIVE GROWTH, RAPID BARK EXPANSION AND MINOR, LOCALISED RESIN RUN @ 8M, SOUTHERN QUARTER. [STILL VALID 2017]

DEADWOOD

11-October-2017

OVER GRASS AND WOODED AREA

IVY

10-March-2022

N?

Fallen tree

09-January-2026

Whole tree failure at stem base during Storm Gorette. -Brown rot observed in centre of lower stem and stem base – approx. 40% of stem cross-sectional area with brown rot

## Recommendations

No Recommendations

# PP23

**Species:** ?, ZELKOVA

**Comments:** EXCELLENT OPPORTUNITY TO PLANT LARGE SPECIES AMENITY TREE PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T24

**Species:** Monterey Pine, PINE

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

IVY

**Date recorded:**

10-December-2012

**Comments:**

TEAR WOUNDS IN CROWN

10-March-2022

MINOR, RECENT

### Recommendations

No Recommendations

# PP24

**Species:** ?, ZELKOVA

**Comments:** EXCELLENT OPPORTUNITY TO PLANT A LARGE SPECIES AMENITY TREE

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# PP25

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T26

**Species:** Monterey Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

SUPPRESSED

**Date recorded:**

10-December-2012

**Comments:**

PRUNING WOUND(S)

10-December-2012

...HISTORICALLY CROWN RAISED

IVY RESTRICTED INSPECTION

10-March-2022

OF SREM TO 8M

## Recommendations

No Recommendations

# PP26

**Species:** Cherry, CHERRY

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

No Recommendations

# T27

**Species:** Monterey Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

### Defect:

### Date recorded:

### Comments:

BROKEN BRANCH STUB(S)

10-December-2012

...RECENT STORM DAMAGE. SOUTHERN QUARTER.

BARK BLEEDING

10-December-2012

...HISTORIC RESIN RUN SOUTHERN QUARTER, 0.5M TO 3M. POSS. ASSOCIATED WITH PRUNING WOUND ABOVE.

DEADWOOD

11-October-2017

OVER GRASS AND WOODLAND AREA

INCLUDED BARK AT MAJOR BRANCH/STEM UNIONS

07-August-2020

WIDE-MOUTHED BARK INCLUSION AT 0.5m ABOVE GROUND LEVEL WITH ACUTE BARK INCLUSION RISING TO APPROXIMATELY 7.0m ABOVE GROUND LEVEL - MINOR EVIDENCE OF ADAPTIVE GROWTH AROUND JUNCTION AND LOWER STEMS - EVIDENCE OF POSSIBLE NATURAL PRUNING FROM HISTORIC PRUNING CUTS - STEMS UPRIGHT FORM WITH ASSOCIATED CROWN WEIGHTED TO NORTH OVER WOODLAND AREA

## Recommendations

No Recommendations

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE SPECIES AMENITY PLANTING

**Description**

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

**Services**

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

**Conditions**

**Defect:**

**Date recorded:**

**Comments:**

**Recommendations**

No Recommendations

# T28

**Species:** Monterey Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
HEAVY IVY GROWTH	10-December-2012	
IVY RESTRICTED INSPECTION	10-December-2012	OF LOWER STEM
PRUNING WOUND(S)	10-December-2012	...HISTORIC CROWN RAISING WORKS, SOUTHERN QUARTER
CROSSING OR RUBBING BRANCHES	10-March-2022	LARGE TERTIARY LIMBS IN SOUTHERN CROWN QUARTER
MAJOR DEADWOOD	10-March-2022	OVER TRODDEN PATH
Subsiding stem/branch	16-September-2025	Subsiding limb on SW side of crown, in lower crown
Fallen tree	09-January-2026	Tree has failed at root plate during Storm Goretti.

## Recommendations

Recommendation	Date Recorded	Dimension	Units	Comments	Urgency
REMOVE BRANCH(ES)	30-September-2025	0.00	?	Remove 1x subsiding monterey pine branch partially overhanging grass area to South side of crown.	?

# PP28

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR LARGE SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

T29

**Species:** Monterey Pine, PINE

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** VERY LARGE > 20m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

PRUNING WOUND(S)

**Date recorded:**

10-December-2012

**Comments:**

...NUMEROUS HISTORIC

TEAR WOUNDS IN CROWN

10-March-2022

LARGE, RECENT

### Recommendations

No Recommendations

**Species:** ?, ZELKOVA

**Comments:** SUITABLE LOCATION FOR SMALL/MEDIUM SPECIES AMENITY PLANTING

**Description**

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

**Services**

**Electricity Cables:** Unknown

**Street Lights:** NOT KNOWN

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

**Conditions**

**Defect:**

**Date recorded:**

**Comments:**

**Recommendations**

No Recommendations

T30

**Species:** Sycamore, ACER

**Comments:** ?

### Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

PRUNING WOUND(S)

**Date recorded:**

10-December-2012

**Comments:**

..NUMEROUS, SMALL DIAMETER, EPICORMIC GROWTH ASSOCIATED.  
HISTORICALLY CROWN RAISED TO 6.5M.

### Recommendations

No Recommendations

# PP30

**Species:** Planting position, PLANTING STATION

**Comments:** N?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

PLANT WITH

08-March-2022

0.00

?

REPLANT WITH LIGHT STANDARD SILVE  
BIRCH - BETULA PENDULA AS PER 30/1  
DRAWING

PROACTIVE WORKS

T31

**Species:** Corsican Pine, PINE

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

10-December-2012

**Comments:**

### Recommendations

No Recommendations

T32

**Species:** Scots Pine, PINE

**Comments:** ?

### Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

STEM CAVITY SMALL

**Date recorded:**

07-August-2020

**Comments:**

SMALL OPENING LIKELY TO BE CREATED BY WOODPECKERS LEADING INTO AN UNKNOWN EXTENT AT APPROXIMATELY 6.0m ABOVE GROUND LEVEL ON SOUTH WESTERN QUARTER - POSSIBLE NESTING SITE DUE TO SMOOTH APPEARANCE AROUND OPENING.

### Recommendations

No Recommendations

# T33

**Species:** Scots Pine, PINE

**Comments:** ?

## Description

**Growing Medium:** EMBANKMENT

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** LARGE < 20m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
LEANING TREE	10-December-2012	...TO SOUTH. 30 DEGREES FROM THE UPRIGHT.
BARK BLEEDING	10-December-2012	...MINOR RESIN RUNS BASE TO 2M
PARTIAL INSPECTION, LIMITED ACCESS	20-December-2017	DUE TO HEAVY BRAMBLE GROWTH

## Recommendations

No Recommendations

T34

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

PRUNING STUB(S)

**Date recorded:**

10-December-2012

**Comments:**

STRESSED

07-August-2020

PHYSIOLOGICAL.

### Recommendations

No Recommendations

T35

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

BASAL EPICORMICS

**Date recorded:**

10-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T36

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

STRESSED

**Date recorded:**

07-August-2020

**Comments:**

PHYSIOLOGICAL.

### Recommendations

No Recommendations

T37

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

BASAL EPICORMICS

07-August-2020

N?

STRESSED

07-August-2020

PHYSIOLOGICAL.

STRIMMER DAMAGE

10-March-2022

HISTORIC, WELL OCCLUDED MARGINS

### Recommendations

No Recommendations

T38

**Species:** Cherry, CHERRY

**Comments:** EXCELLENT LOCATION FOR LARGE SPECIES AMENITY PLANTING

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

10-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T39

**Species:** Cherry, CHERRY

**Comments:**

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

10-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T40

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

10-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T41

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

10-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

# T42

**Species:** Monterey Pine, PINE

**Comments:** N?

## Description

**Growing Medium:** WOODLAND

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM/LARGE

**Vigour:** FAIR

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

MINOR DEADWOOD

10-March-2022

THROUGHOUT, TYPICAL OF SPECIES

IVY

10-March-2022

N?

Fallen tree

09-January-2026

Tree has failed at root plate during Storm Gorette.

## Recommendations

No Recommendations

# T43

**Species:** Norway Maple, ACER

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON BOUNDARY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

<b>Defect:</b>	<b>Date recorded:</b>	<b>Comments:</b>
PRUNING WOUND(S)	07-April-2011	
TOUCHING STRUCTURE(S)	20-December-2017	NETWORK RAIL 3 PRONGED FENCE - (2020) - ROOTED AT BASE OF...
HEAVY IVY GROWTH	10-August-2020	UPON STEM AND OBSCURING INSPECTION OF MAIN JUNCTIONS AT CROWN BREAK.
CROWN OVERHANGING NEIGHBOURING GARDEN	10-August-2020	DIRECT OVERHANG OF NO.17 BY APPROXIMATELY 2.5m AT 4.0m HEIGHT CLEARANCE ADEQUATE CLEARANCE.
IVY RESTRICTED INSPECTION	29-September-2023	N?

## Recommendations

<b>Recommendation</b>	<b>Date Recorded</b>	<b>Dimension</b>	<b>Units</b>	<b>Comments</b>	<b>Urgency</b>
SEVER IVY TO AID FUTURE INSPECTIONS	10-August-2020	0.00	?	CAREFULLY REMOVE A 1.5m STRIP OF GROWTH ENTIRELY FROM AROUND BASE OF TREE.	MANAGEMENT WORK- SHORT TERM

T44

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

BARK DAMAGE

**Date recorded:**

10-August-2020

**Comments:**

TWO VERTICAL STRIPS OF BARK PARTIALLY REMOVED AT BASE ON SOUTH EASTERN QUARTERS TO 400mm ABOVE GROUND LEVEL - ADAPTIVE ROWTH FORMING AROUND WOUND MARGINS.

### Recommendations

No Recommendations

T45

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

STRIMMER DAMAGE

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

# T46

**Species:** Cherry, CHERRY

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** FAIR

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** YES

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

07-April-2011

**Comments:**

## Recommendations

Recommendation	Date Recorded	Dimension	Units	Comments	Urgency
WEED AND MULCH WITHIN 1M DIAMETER CIRCLE OF STEM	20-December-2017	0.00	?	TO PREVENT FUTURE MOWER DAMAGE - CAREFULLY REMOVE GRASS AND WEED GROWTH BY HAND, FORK OVER, WATER, AND THEN APPLY 100mm OF COMPOSTED WOODCHIP OVER AREA AND WATER AGAIN.	MANAGEMENT WORK- SHORT TERM

T47

**Species:** Hawthorn, HAWTHORN

**Comments:** GOOD OPPORTUNITY FOR LARGE SPECIES AMENITY PLANTING

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T48

**Species:** ?, UNKNOWN

**Comments:**

**Description**

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

**Services**

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

**Conditions**

**Defect:**

**Date recorded:**

**Comments:**

DEAD

08-March-2022

N?

**Recommendations**

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

REPLANT FAILURE

08-March-2022

0.00

?

REPLACE WITH LIGHT STANDARD BETULA  
PENDUL-- SILVER BIRCH

PROACTIVE WORKS

T49

**Species:** Midland Hawthorn, HAWTHORN

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

# T50

**Species:** Midland Hawthorn, HAWTHORN

**Comments:** N?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** Yes

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

No Recommendations

T51

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** FAIR

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T52

**Species:** Hawthorn, HAWTHORN

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T53

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T54

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T55

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T56

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T57

**Species:** Whitebeam, SORBUS

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

02-June-2011

**Comments:**

### Recommendations

No Recommendations

T58

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T59

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

CROSSING OR RUBBING BRANCHES

**Date recorded:**

20-December-2017

**Comments:**

N?

### Recommendations

No Recommendations

# T60

**Species:** Cherry, CHERRY

**Comments:**

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

**Date recorded:**

**Comments:**

## Recommendations

No Recommendations

# T61

**Species:** Cherry, CHERRY

**Comments:** SUITABLE LOCATION FOR MEDIUM SPECIES AMENITY PLANTING

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

No Recommendations

T62

**Species:** Sorbus, SORBUS

**Comments:** SUITABLE LOCATION FOR MEDIUM/LARGE SPECIES AMENITY PLANTING

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T63

**Species:** Sorbus, SORBUS

**Comments:** SUITABLE LOCATION FOR LARGE SPECIES AMENITY PLANTING

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

# T64

**Species:** Rowan, SORBUS

**Comments:** N?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

BASAL EPICORMICS

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

No Recommendations

# T65

**Species:** Cherry, CHERRY

**Comments:** N?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

No Recommendations

T66

**Species:** Hawthorn, HAWTHORN

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T67

**Species:** Apple, APPLE

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T68

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T69

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T70

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T72

**Species:** Sorbus, SORBUS

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T72

**Species:** Apple, APPLE

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T73

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

T74

**Species:** Cherry, CHERRY

**Comments:** N?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

STRESSED

25-September-2023

GOOD LEVEL OF MULCH BUT POOR CONDITION.

### Recommendations

No Recommendations

T75

**Species:** Hornbeam, HORNBEAM

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

EXPOSED ROOTS

**Date recorded:**

08-March-2022

**Comments:**

WITHIN GRASS AREA

### Recommendations

No Recommendations

T76

**Species:** Silver Birch, BIRCH

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** MATURE

**Size Class:** MEDIUM < 10m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

BASAL EPICORMICS

**Date recorded:**

20-December-2017

**Comments:**

N?

PRUNING WOUND(S)

20-December-2017

PARTIALLY OCCLUDED

STEM DEFECT

08-March-2022

MULTIPLE BURRS

### Recommendations

No Recommendations

T77

**Species:** Cherry, CHERRY

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** Yes

**Telephone Cables:** None

**Signs:** YES

### Conditions

**Defect:**

**Date recorded:**

**Comments:**

### Recommendations

No Recommendations

T78

**Species:** Canary Palm, PALM

**Comments:** PHOENIX PALM

### Description

**Growing Medium:** PLANTER

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL/MEDIUM

**Vigour:** NORMAL

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

20-December-2017

**Comments:**

N?

### Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

OTHER

20-December-2017

0.00

?

GET SPECIES ADDED TO DATABASE

?

T79

**Species:** Silver Birch, BIRCH

**Comments:** ?

### Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** YOUNG < 10 YEARS

**Size Class:** SMALL/MEDIUM

**Vigour:** ?

**Planting Station:** ?

### Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

### Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

### Recommendations

No Recommendations

# T80

**Species:** Sweet Gum, LIQUIDAMBAR

**Comments:** ?

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** GROUP/FOREST TYPE- FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** ?

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

VANDALISED

**Date recorded:**

10-August-2020

**Comments:**

PLANTING SNAPPED AT 220mm ABOVE CROSS BAR - PLANTING HAS RESPONDED WELL.

POOR FORM

08-March-2022

MULTI LEADERS

## Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

REDUCE TO SINGLE STEM

08-March-2022

0.00

?

N?

?

# T81

**Species:** Whitebeam, SORBUS

**Comments:** REMNANT OF FORMER G1

## Description

**Growing Medium:** GRASS AREA

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** COPPICE

**Crown Form:** SHRUBBY

**Age Class:** SEMI MATURE < 1/3rd LIFE  
EXPECTANCY

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** None

**Street Lights:** No

**Telephone Cables:** None

**Signs:** NO

## Conditions

**Defect:**

NO SIGNIFICANT DEFECTS APPARENT

**Date recorded:**

08-March-2022

**Comments:**

N?

## Recommendations

**Recommendation**

**Date Recorded**

**Dimension**

**Units**

**Comments**

**Urgency**

REDUCE TO SINGLE STEM

08-March-2022

0.00

?

SELECT SINGLE BEST STEM

PROACTIVE WORKS

# T81

**Species:** Whitebeam, SORBUS

**Comments:** ?

## Description

**Growing Medium:** VERGE

**On / Off Property:** ON PROPERTY

**Position Description:** ?

**Stem Form:** SINGLE STEM

**Crown Form:** OPEN GROWN - FULL CROWN

**Age Class:** NEWLY PLANTED < 3 YEARS

**Size Class:** SMALL < 3m

**Vigour:** NORMAL

**Planting Station:** ?

## Services

**Electricity Cables:** Unknown

**Street Lights:** ?

**Telephone Cables:** Unknown

**Signs:** NOT KNOWN

## Conditions

**Defect:**

**Date recorded:**


**Comments:**

## Recommendations

No Recommendations



# ASHFIELD / ARUNDELL GARDENS



# Glossary of terms

## Tree/Group conditions

### **Crowded**

Under-thinned, trees within the group competing for light, vigorous species suppressing slower growing trees. Often causes poor form. Mixed planting groups are generally stocked with a 'nursery' species - fast growing species that creates a visual feature, screening and a sheltered environment in which the slower growing species can become established. The nursery species is removed during thinning operations.

### **Included bark**

Bark that is pushed inside a developing crotch, causing a weakened structure (effectively a crack between branch and stem).

### **Torsion cracking**

Cracking caused by twisting stresses, more often in vertical stems.

### **Stress beam fracture**

Cracking caused by downwards loading, i.e. end weight (foliage) on lateral branches or sudden lifting and dropping by high winds.

### **Cavity**

A hole in the stem or major branches of a tree caused by the loss of a limb or some other form of structural damage.

### **Epicormic growth**

Growth originating from adventitious and dormant buds on the stem or major branches. Often clustered in the region of burrs or wounds.

### **Canker**

An area of dead and sunken or malformed bark; caused by infections by fungal or bacterial agents.

### **Occluded wound**

A healed pruning wound; worth noting larger wounds as the callus tissue (new growth that closes the wound) can sometimes conceal areas of decay.

### **Bark bleeding**

Weeping and staining of bark, often caused by fungal and bacterial agents.

## **Tree/Group recommendations**

### **Mulch**

Apply an organic or artificial material to the soil surface from the stem to 0.5m radius. This suppresses weeds and conserves moisture; promoting the establishment of young trees.

### **Crown thin**

Reduce the density of the crown by removing unwanted branches within the crown from the stem to the dripline (edge) of the crown.

### **Crown reduce**

Reduce the overall height and spread of the crown by pruning branches back to suitable growing points.

### **Crown raise**

Remove lower branches, raising the height of the crown from ground level.

### **Pollard**

Reduce to suitable points to provide a framework of branches to manage the tree in a restricted environment or for interest. The growth from these points will form a smaller crown. This work enables the retention of trees that might otherwise be removed; however the need for repeated pruning increases the management burden. Pollards are pruned cyclically usually on a 1 - 5 yr rotation.

### **Coppice**

Reduce the stem/stems to within 0.3m or so of ground level. The new growth from the resulting stump (coppice stool) is cut cyclically usually on a 5 or 7 yr rotation.

### **Brace**

A structural support that gives mechanical strength to weakened or potentially weak branch/stem unions. A Cobra brace is non invasive whereas cable/rod bracing is invasive.

### **Formative prune**

Prune to remove diseased, broken branches, those that have a point of poor attachment i.e. included bark and those branches that are crossing or rubbing. This pruning will promote a strong leading shoot and the formation of a strong framework of branches reducing the need for remedial works in the future.

### **Crown clean**

Remove dead, diseased, crossing and rubbing branches from within the crown.